

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

A280. 3479
M34P
POULTRY

Slaughtered Under Federal Inspection and
Poultry Used in Canning and Other Processed Foods
June 1961

August 3, 1961

Canned and processed poultry - Poultry used in canning and other processed foods during June 1961 totaled 51,402,000 pounds ready-to-cook weight, compared with 26,960,000 pounds in June 1960. The quantity used in June consisted of 36,554,000 pounds of chickens, 10,164,000 pounds of turkeys and 4,684,000 pounds of other poultry.

Inspected poultry - The number of head (chickens, turkeys and ducks combined) inspected under the Poultry Inspection Act carried on by the U.S.D.A. during June 1961 totaled 195,754,000, compared with 154,427,000 during June 1960. The number of head and pounds (live weight) inspected by classes were: young chickens, 180,656,000 head, 610,831,000 pounds; mature chickens, 7,801,000 head, 38,744,000 pounds; fryer-roaster turkeys, 1,240,000 head, 10,875,000 pounds; young turkeys, 3,401,000 head, 55,652,000 pounds; old turkeys, 1,280,000 head, 24,777,000 pounds; ducks, 1,376,000 head, 8,668,000 pounds.

Certified poultry - During June 1961, the quantity of poultry certified as wholesome was 548,369,000 pounds ready-to-cook weight, of which 424,561,000 pounds were iced and 123,808,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 442,429,000 pounds; mature chickens, 26,757,000 pounds; fryer-roaster turkeys, 8,479,000 pounds; young turkeys, 44,660,000 pounds; old turkeys, 19,681,000 pounds; ducks, 6,181,000 pounds; and other poultry, 182,000 pounds.

Ante-mortem condemnations amounted to 1,558,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of live pounds inspected: young chickens 0.21 percent, mature chickens 0.37 percent, fryer-roaster turkeys 0.13 percent, young turkeys 0.14 percent, old turkeys 0.14 percent, and ducks 0.09 percent.

Post-mortem condemnations totaled 11,701,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of the quantities inspected: young chickens, 1.74 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.25 percent; young turkeys, 1.18 percent; old turkeys, 1.71 percent; and ducks, 2.12 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service

Crop Reporting Board

Pou 2-1 (8-61)

Washington, D. C.

Poultry: Slaughtered under Federal inspection, June 1961 with comparisons

| Class | Number inspected | | | Pounds inspected (live weight) | | | Average live weight | | |
|-----------------|------------------|---------|---------|--------------------------------|---------|---------|---------------------|---------|-----------|
| | May 1961 | | | May 1961 | | | May 1961 | | |
| | Thou. | Thou. | Thou. | Thou. | Thou. | Thou. | Pounds | Pounds | Pounds |
| Young chickens | 170,894 | 142,820 | 180,656 | 736,556 | 855,515 | 581,055 | 471,322 | 610,831 | 2,451,344 |
| Mature chickens | 7,860 | 6,399 | 7,801 | 36,843 | 44,379 | 41,522 | 32,594 | 38,744 | 184,898 |
| Total chickens | 178,754 | 149,219 | 188,457 | 773,399 | 899,894 | 622,577 | 503,916 | 649,575 | 2,636,242 |
| Fryer-roasters | 1,409 | 1,074 | 1,240 | 5,912 | 7,428 | 12,305 | 9,169 | 10,875 | 50,303 |
| Young turkeys | 1,915 | 1,710 | 3,401 | 5,470 | 8,891 | 30,154 | 26,569 | 55,652 | 87,401 |
| Old turkeys | 657 | 1,133 | 1,280 | 1,893 | 2,563 | 13,073 | 21,858 | 24,777 | 36,566 |
| Total turkeys | 3,981 | 3,917 | 5,921 | 13,275 | 18,882 | 55,532 | 57,596 | 91,304 | 174,270 |
| Ducks | 1,127 | 1,291 | 1,376 | 4,446 | 4,147 | 7,185 | 7,938 | 8,668 | 27,769 |
| Other poultry | --- | --- | --- | --- | --- | 135 | 129 | 340 | 564 |
| Total poultry | --- | --- | --- | --- | --- | 685,429 | 569,579 | 749,887 | 2,838,845 |

Pounds certified (ready-to-cook weights)

| Class | May 1961 | | | June 1961 | | | January - June 1960 | | | January - June 1961 | | |
|-----------------|----------|--------|---------|-----------|--------|---------|---------------------|---------|---------|---------------------|---------|-----------|
| | Iced | | | Iced | | | Iced | | | Iced | | |
| | pounds | Frozen | Total | pounds | Frozen | Total | pounds | Frozen | Total | pounds | Frozen | Total |
| Young chickens | 382,086 | 39,244 | 421,330 | 312,543 | 27,226 | 339,769 | 397,885 | 44,544 | 442,429 | 1,626,808 | 136,734 | 1,763,542 |
| Mature chickens | 20,035 | 8,936 | 28,971 | 15,514 | 7,021 | 22,535 | 16,721 | 10,036 | 26,757 | 94,090 | 36,935 | 131,025 |
| Total chickens | 402,121 | 48,180 | 450,301 | 328,057 | 34,247 | 362,304 | 414,606 | 54,580 | 469,186 | 1,720,898 | 173,669 | 1,894,567 |
| Fryer-roasters | 2,024 | 7,403 | 9,427 | 2,357 | 4,712 | 7,069 | 2,335 | 6,144 | 8,479 | 9,179 | 29,835 | 39,014 |
| Young turkeys | 4,056 | 20,269 | 24,325 | 2,912 | 18,539 | 21,451 | 5,737 | 38,923 | 44,660 | 9,400 | 61,154 | 70,554 |
| Old turkeys | 772 | 10,321 | 11,093 | 1,741 | 15,738 | 17,479 | 1,739 | 17,942 | 19,681 | 2,722 | 26,498 | 29,220 |
| Total turkeys | 6,852 | 37,993 | 44,845 | 7,010 | 38,969 | 45,999 | 9,811 | 63,009 | 72,820 | 21,301 | 117,487 | 138,788 |
| Ducks | 142 | 4,845 | 4,987 | 207 | 5,644 | 5,851 | 136 | 6,045 | 6,181 | 1,355 | 18,578 | 19,933 |
| Other poultry | 1 | 70 | 71 | --- | 67 | 67 | 8 | 174 | 182 | 15 | 285 | 300 |
| Total poultry | 409,116 | 91,088 | 500,204 | 335,274 | 78,947 | 414,221 | 424,561 | 123,808 | 548,369 | 1,743,569 | 310,019 | 2,053,588 |

Poultry: Condemnations of poultry slaughtered under Federal inspection, June 1961 with comparisons

| Class | Ante-mortem condemnations | | | | | | Post-mortem condemnations | | | | | |
|-----------------|---------------------------|-------|-------|-----------------------|--------|--------|---------------------------|--------|--------|-----------------------|--------|--------|
| | Pounds (live weight): | | | Pounds (live weight): | | | Pounds (live weight): | | | Pounds (live weight): | | |
| | 1960 | 1961 | June | 1960 | 1961 | June | 1960 | 1961 | June | 1960 | 1961 | June |
| Young chickens | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 |
| Mature chickens | 1,017 | 1,277 | 1,277 | 6,168 | 8,736 | 8,736 | 9,541 | 9,541 | 9,541 | 61,756 | 61,756 | 51,724 |
| Total chickens | 118 | 144 | 144 | 670 | 715 | 715 | 898 | 898 | 898 | 3,784 | 3,784 | 4,882 |
| | 1,135 | 1,421 | 1,421 | 6,838 | 9,451 | 9,451 | 10,439 | 10,439 | 10,439 | 65,540 | 65,540 | 56,606 |
| Fryer-roasters | 18 | 14 | 14 | 123 | 75 | 75 | 122 | 122 | 122 | 398 | 398 | 687 |
| Young turkeys | 31 | 78 | 78 | 176 | 246 | 246 | 592 | 592 | 592 | 767 | 767 | 1,620 |
| Old turkeys | 26 | 36 | 36 | 71 | 266 | 266 | 381 | 381 | 381 | 473 | 473 | 873 |
| Total turkeys | 75 | 128 | 128 | 370 | 587 | 587 | 1,095 | 1,095 | 1,095 | 1,638 | 1,638 | 3,180 |
| Ducks | 4 | 8 | 8 | 25 | 112 | 112 | 165 | 165 | 165 | 367 | 367 | 467 |
| Other poultry | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 6 | 6 | 4 |
| Total | 1,215 | 1,558 | 1,558 | 7,234 | 10,151 | 10,151 | 11,701 | 11,701 | 11,701 | 67,551 | 67,551 | 60,357 |

Poultry: Inspected for canning and other processed foods, June 1961 with comparisons 4/

| Class | Pounds used ready-to-cook weight | | | | | | Pounds condemned ready-to-cook weight | | | | | |
|------------------|----------------------------------|--------|--------|---------|---------|---------|---------------------------------------|-------|-------|-------|-------|-------|
| | May | | | June | | | May | | | June | | |
| | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 |
| Young chickens | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 |
| Mature chickens | 19,309 | 6,512 | 18,249 | 35,988 | 98,522 | 98,522 | 3.1 | 20.0 | 8.6 | 61.9 | 56.4 | 56.4 |
| Turkeys | 21,357 | 13,584 | 18,305 | 93,551 | 120,019 | 120,019 | 20.0 | 14.5 | 4.7 | 169.0 | 82.7 | 82.7 |
| Other poultry 3/ | 7,111 | 6,833 | 10,164 | 36,233 | 54,343 | 54,343 | .7 | 5.1 | 3.7 | 45.5 | 24.1 | 24.1 |
| Total | 53,111 | 31 | 4,684 | 98 | 21,953 | 21,953 | 5.2 | --- | 3.4 | --- | 18.5 | 18.5 |
| | 53,088 | 26,960 | 51,402 | 165,870 | 294,837 | 294,837 | 29.0 | 39.6 | 20.4 | 276.4 | 181.7 | 181.7 |

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ In June 1961 data on poultry parts and fat used in canning are no longer available by class of poultry. The 4,684,000 pounds shown above as other, includes 3,281,000 pounds of parts, 1,271,000 pounds of fat, and 132,000 pounds of duck and other poultry.

Young chickens: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

| Region and State | Number inspected | Pounds | | | Average live weight inspected 1/ | | | Total pounds certified (Ready-to-cook wt.) | | | Post-mortem condemnations | | |
|------------------|------------------|-------------------------|---------------|-------------|----------------------------------|---------------|---------------|--|------------|--------------|---------------------------|------|------------|
| | | inspected (live weight) | | Pounds | inspected | | Pounds | (Ready-to-cook wt.) | | Pounds | Pounds (NYD) | | Percent 2/ |
| | | -1960 | 1961 | | -1960 | 1961 | | -1960 | 1961 | | -1960 | 1961 | |
| | | 1,000 | 1,000 | | | | | 1,000 | 1,000 | | 1,000 | | 1961 |
| N. Atl. | Thou. 15,473 | Pounds 58,982 | Pounds 58,468 | Pounds 3.69 | Pounds 3.78 | Pounds 41,309 | Pounds 41,200 | Pounds 816 | Pounds 997 | Percent 1.54 | Percent 1.90 | | |
| E.N. Cent. | 5,168 | 17,927 | 20,697 | 3.44 | 3.49 | 12,961 | 14,817 | 139 | 223 | .87 | 1.20 | | |
| W.N. Cent. | 4,184 | 6,119 | 19,854 | 3.17 | 3.24 | 9,390 | 14,166 | 253 | 366 | 2.13 | 2.05 | | |
| S. Atl. | 60,048 | 76,293 | 200,551 | 3.34 | 3.39 | 145,058 | 189,559 | 4,074 | 3,645 | 2.26 | 1.57 | | |
| S. Cent. | 52,963 | 71,920 | 165,323 | 3.12 | 3.28 | 119,841 | 170,529 | 3,206 | 3,924 | 2.16 | 1.85 | | |
| West. | 4,482 | 4,924 | 15,425 | 3.44 | 3.43 | 11,210 | 12,158 | 248 | 386 | 1.79 | 2.55 | | |
| U.S. | 142,820 | 180,656 | 471,322 | 3.30 | 3.38 | 339,769 | 442,429 | 8,736 | 9,541 | 2.06 | 1.74 | | |
| Maine | | | | | | | | | | | | | |
| Mass. 3/ | 5,513 | 5,189 | 20,826 | 3.78 | 3.89 | 14,077 | 14,193 | 322 | 351 | 1.72 | 1.94 | | |
| Conn. | --- | 608 | 2,487 | --- | 4.09 | --- | 1,714 | --- | 64 | --- | 2.86 | | |
| N.J. 3/ | 1,553 | 1,516 | 5,259 | 3.39 | 3.51 | 3,490 | 3,549 | 96 | 103 | 2.03 | 2.14 | | |
| Pa. | 32 | --- | 146 | 4.50 | --- | 1,553 | --- | 2 | --- | 1.38 | | | |
| Ohio | 6,857 | 6,759 | 25,180 | 3.66 | 3.73 | 18,537 | 18,187 | 287 | 411 | 1.27 | 1.82 | | |
| Ind. | 1,618 | 1,906 | 6,704 | 3.43 | 3.52 | 4,072 | 4,686 | 37 | 71 | .73 | 1.19 | | |
| Ill.-Mich. 4/ | 1,780 | 2,116 | 7,028 | 3.31 | 3.32 | 4,297 | 5,123 | 47 | 71 | .88 | 1.13 | | |
| Wis. | 258 | 276 | 1,059 | 4.10 | 4.22 | 744 | 831 | 6 | 11 | .63 | 1.06 | | |
| Minn. | 1,511 | 1,629 | 5,799 | 3.49 | 3.56 | 3,848 | 4,177 | 49 | 70 | 1.03 | 1.35 | | |
| Iowa | 248 | 772 | 2,663 | 3.31 | 3.45 | 621 | 2,037 | 5 | 38 | .74 | 1.59 | | |
| Mo. | 130 | 106 | 629 | 4.85 | 4.80 | 473 | 384 | 2 | 1 | .36 | .40 | | |
| Del. | 3,716 | 5,121 | 16,291 | 3.10 | 3.18 | 8,076 | 11,454 | 241 | 323 | 2.33 | 2.20 | | |
| Md. | 6,588 | 7,413 | 27,519 | 3.63 | 3.71 | 17,662 | 20,355 | 515 | 342 | 2.39 | 1.38 | | |
| Va. | 8,242 | 9,950 | 35,852 | 3.64 | 3.60 | 21,525 | 25,808 | 444 | 482 | 1.65 | 1.49 | | |
| N.C. | 4,480 | 5,670 | 17,676 | 3.07 | 3.12 | 9,997 | 12,685 | 144 | 408 | 1.16 | 2.57 | | |
| S.C. | 13,657 | 18,155 | 45,092 | 3.30 | 3.41 | 32,896 | 45,287 | 471 | 642 | 1.16 | 1.15 | | |
| Ga. | 933 | 1,654 | 5,529 | 3.25 | 3.34 | 2,179 | 4,002 | 50 | 76 | 1.85 | 1.52 | | |
| Ky. | 25,048 | 31,605 | 81,143 | 3.24 | 3.30 | 58,254 | 77,075 | 2,412 | 1,640 | 3.31 | 1.75 | | |
| Tenn. | 2,123 | 2,936 | 7,070 | 3.33 | 3.40 | 4,935 | 7,055 | 76 | 121 | 1.20 | 1.35 | | |
| Ala. | 5,527 | 5,841 | 20,009 | 3.20 | 3.43 | 12,753 | 14,609 | 418 | 312 | 2.63 | 1.74 | | |
| Miss. | 14,205 | 17,752 | 45,206 | 3.18 | 3.37 | 32,801 | 43,561 | 752 | 1,171 | 1.85 | 2.18 | | |
| Ark. | 7,763 | 12,201 | 39,981 | 3.08 | 3.28 | 17,604 | 28,861 | 622 | 580 | 2.90 | 1.62 | | |
| La.-Okla. 4/ | 14,617 | 21,301 | 67,502 | 3.04 | 3.17 | 32,276 | 48,430 | 826 | 1,176 | 2.07 | 1.94 | | |
| Texas | 2,723 | 2,716 | 8,893 | 3.12 | 3.27 | 6,149 | 6,445 | 184 | 137 | 2.90 | 1.72 | | |
| Idaho | 6,004 | 9,173 | 29,930 | 3.08 | 3.26 | 13,323 | 21,568 | 329 | 427 | 1.98 | 1.59 | | |
| Utah | 399 | 440 | 1,317 | 3.12 | 2.99 | 1,008 | 972 | 13 | 13 | 1.20 | 1.07 | | |
| Wash. | 82 | 63 | 273 | 3.32 | 3.59 | 203 | 168 | 2 | 2 | .76 | .92 | | |
| Oreg. | 714 | 665 | 2,217 | 3.46 | 3.33 | 1,718 | 1,540 | 23 | 21 | 1.05 | 1.06 | | |
| Calif. | 621 | 636 | 2,144 | 3.45 | 3.43 | 1,515 | 1,510 | 29 | 27 | 1.50 | 1.37 | | |
| | 2,666 | 3,130 | 9,296 | 3.49 | 3.50 | 6,765 | 7,968 | 181 | 323 | 2.17 | 3.28 | | |

[illegible]

1/ Average weight based on unrounded data. 2/ Rounds condemned as percent of equivalent N.I. dressed weight or quarterly inspection. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. Percentages based on unrounded data.

4/ Combined to avoid disclosure of individual operations.

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

Young chickens: Number condemned post-mortem by cause, by regions and selected States
June 1961

| Region and State | Tuber- culosis | Leu- cosis | Septi- cemia | Airsac- culitis | Inflam- matory | Tumors | Para- sites | Bruises | Cadaver | Contam- ination | Over- scald | Decom- position | Other | Total |
|------------------|-------------------|---------------|-----------------|--------------------|-------------------|--------|----------------|---------|---------|--------------------|----------------|--------------------|---------|-----------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N.Atl. | --- | 37,873 | 123,947 | 75,115 | 17,187 | 1,040 | 17 | 3,383 | 7,820 | 9,377 | 808 | 74 | 5,569 | 282,210 |
| E.N.Cent. | 10 | 3,262 | 22,806 | 23,399 | 7,694 | 738 | 1 | 1,890 | 5,601 | 4,290 | 726 | 3 | 5,374 | 75,794 |
| W.N.Cent. | --- | 3,429 | 32,789 | 54,556 | 15,268 | 293 | --- | 1,112 | 9,628 | 6,385 | 729 | 14 | 433 | 124,636 |
| S.Atl. | 1 | 90,983 | 242,802 | 471,402 | 61,604 | 3,774 | 67 | 7,646 | 40,763 | 42,138 | 6,482 | 1,729 | 218,979 | 1,188,370 |
| S.Cent. | --- | 47,308 | 241,722 | 589,548 | 49,718 | 4,701 | 70 | 12,236 | 53,164 | 53,447 | 5,583 | 3,021 | 168,898 | 1,229,416 |
| West. | --- | 1,513 | 35,534 | 48,303 | 9,527 | 853 | 605 | 1,487 | 3,473 | 6,098 | 1,407 | 21 | 14,595 | 123,416 |
| U.S. | 11 | 184,368 | 699,600 | 1,262,323 | 160,998 | 11,399 | 760 | 27,754 | 120,449 | 121,735 | 15,735 | 4,862 | 413,848 | 3,023,842 |
| Maine | --- | 8,829 | 44,836 | 10,261 | 7,017 | 445 | --- | 1,964 | 2,165 | 3,931 | 114 | --- | 454 | 80,016 |
| Mass. | --- | 4,190 | 8,581 | 1,886 | 1,130 | 24 | --- | 188 | 571 | 346 | 113 | --- | 417 | 17,446 |
| Conn. | --- | 5,479 | 10,211 | 8,551 | 2,987 | 69 | 3 | 192 | 995 | 1,832 | 2 | --- | 514 | 30,835 |
| Pa. | --- | 15,621 | 54,883 | 45,953 | 4,520 | 370 | 14 | 736 | 3,287 | 2,546 | 488 | 72 | 2,960 | 131,450 |
| Ohio | 1 | 1,716 | 10,455 | 5,577 | 2,787 | 204 | --- | 304 | 1,825 | 1,739 | 209 | 2 | 371 | 25,190 |
| Ind. | 5 | 967 | 7,061 | 8,586 | 2,783 | 425 | 1 | 321 | 1,008 | 784 | 189 | 1 | 2,604 | 24,735 |
| Ill.-Mich. | --- | 189 | 1,295 | 292 | 132 | 15 | --- | 190 | 569 | 142 | 1 | --- | 3 | 2,828 |
| Wis. | 4 | 390 | 3,995 | 8,944 | 1,992 | 94 | --- | 1,075 | 2,199 | 1,625 | 327 | --- | 2,396 | 23,041 |
| Minn. | --- | 399 | 1,863 | 2,495 | 423 | 84 | --- | 188 | 1,855 | 1,937 | 97 | --- | 228 | 9,569 |
| Iowa | --- | 23 | 147 | 31 | 30 | 9 | --- | 11 | 35 | 54 | 71 | --- | --- | 411 |
| Mo. | --- | 2,969 | 30,480 | 51,560 | 14,775 | 192 | --- | 894 | 7,675 | 4,304 | 401 | 14 | --- | 113,404 |
| Del. | --- | 21,455 | 42,081 | 25,736 | 10,893 | 386 | 35 | 504 | 2,074 | 1,683 | 207 | --- | 1,590 | 106,644 |
| Md. | --- | 20,416 | 49,281 | 48,794 | 13,805 | 587 | --- | 754 | 4,406 | 2,824 | 563 | 23 | 6,978 | 148,431 |
| Va. | --- | 10,521 | 52,644 | 70,505 | 8,527 | 173 | 1 | 823 | 1,684 | 3,705 | 476 | 1 | 267 | 149,327 |
| N.C. | --- | 17,022 | 27,306 | 42,197 | 10,600 | 1,150 | 1 | 2,147 | 11,157 | 9,775 | 1,909 | 138 | 98,710 | 222,112 |
| S.C. | --- | 474 | 2,067 | 3,767 | 489 | 30 | 2 | 340 | 2,475 | 1,624 | 238 | 141 | 10,991 | 22,638 |
| Ga. | --- | 19,384 | 64,110 | 272,103 | 16,264 | 1,372 | 20 | 2,901 | 18,226 | 22,096 | 3,081 | 1,426 | 97,951 | 519,014 |
| Ky. | --- | 1,146 | 17,539 | 18,382 | 3,509 | 94 | 20 | 897 | 2,096 | 1,104 | 505 | 25 | 90 | 45,727 |
| Tenn. | --- | 2,879 | 17,553 | 45,637 | 5,206 | 195 | --- | 857 | 4,243 | 3,779 | 181 | 4 | 29,565 | 110,099 |
| Ala. | --- | 5,285 | 28,383 | 225,980 | 5,771 | 644 | 4 | 1,222 | 8,547 | 13,347 | 696 | 315 | 92,390 | 382,584 |
| Miss. | --- | 8,406 | 14,473 | 88,560 | 4,363 | 493 | 3 | 1,985 | 11,677 | 12,694 | 1,402 | 2,223 | 24,667 | 170,946 |
| Ark. | --- | 13,633 | 112,039 | 139,635 | 15,864 | 1,515 | 38 | 4,368 | 20,385 | 11,108 | 1,715 | 335 | 20,697 | 341,332 |
| La.-Okla. | --- | 2,590 | 14,023 | 58,019 | 1,797 | 467 | --- | 514 | 1,892 | 2,157 | 246 | 4 | 52 | 41,761 |
| Texas | --- | 13,369 | 37,392 | 53,335 | 13,208 | 1,293 | 5 | 2,393 | 4,324 | 9,258 | 838 | 115 | 1,437 | 136,967 |
| Idaho | --- | 24 | 1,995 | 865 | 155 | 9 | --- | 291 | 578 | 267 | 49 | --- | 1,342 | 5,575 |
| Utah | --- | 16 | 138 | 46 | 159 | --- | --- | 20 | 61 | 5 | 4 | 1 | --- | 450 |
| Wash. | --- | 253 | 2,830 | 1,796 | 380 | 48 | 1 | 94 | 115 | 285 | 11 | 1 | 1,368 | 7,182 |
| Oreg. | --- | 228 | 982 | 3,555 | 449 | 18 | 604 | 105 | 156 | 405 | 63 | --- | 1,457 | 8,022 |
| Calif. | --- | 992 | 29,589 | 44,041 | 8,384 | 778 | --- | 977 | 2,563 | 5,136 | 1,280 | 19 | 10,428 | 102,187 |

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

| Region and State | Number inspected | Pounds | | Average live weight | | Total pounds certified | | Post-mortem condemnations | | | |
|------------------------|---------------------|-----------------|-----------------|------------------------|--------|---------------------------|--------|---------------------------|-----------------|---------|---------|
| | | (live weight) | | inspected 1/ | | :(ready-to-cook wt.) | | Pounds (NYD) | | | |
| | | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 |
| | Thou. | 1,000 pounds | 1,000 pounds | Pounds | Pounds | Pounds | Pounds | 1,000 pounds | 1,000 pounds | Percent | Percent |
| N.Atl. | 1,128 | 6,154 | 7,328 | 5.46 | 5.26 | 4,243 | 5,044 | 116 | 135 | 2.11 | 2.05 |
| E.N.Cent. | 1,362 | 5,399 | 5,921 | 4.66 | 4.35 | 3,771 | 4,074 | 103 | 122 | 2.13 | 2.30 |
| W.N.Cent. | 1,680 | 7,348 | 8,033 | 4.75 | 4.78 | 4,793 | 5,459 | 188 | 225 | 2.85 | 3.13 |
| S.Atl. | 1,308 | 6,493 | 7,434 | 5.67 | 5.68 | 4,713 | 5,268 | 125 | 139 | 2.14 | 2.08 |
| S.Cent. | 940 | 4,260 | 5,260 | 5.77 | 5.60 | 2,956 | 3,676 | 116 | 151 | 3.05 | 3.20 |
| West. | 685 | 2,957 | 4,768 | 4.32 | 4.27 | 2,059 | 3,236 | 67 | 126 | 2.53 | 2.95 |
| U.S. | 7,801 | 32,594 | 38,744 | 5.09 | 4.97 | 22,535 | 26,757 | 715 | 898 | 2.45 | 2.58 |
| Maine | 163 | 1,113 | 1,660 | 6.82 | 6.61 | 819 | 1,211 | 20 | 29 | 2.05 | 1.96 |
| Conn. | 73 | 499 | 514 | 6.83 | 6.24 | 337 | 363 | 4 | 7 | .96 | 1.35 |
| N.Y. | 147 | 804 | 758 | 5.47 | 4.87 | 535 | 554 | 8 | 6 | 1.11 | .99 |
| N.J. | 421 | 1,750 | 1,715 | 4.16 | 3.97 | 1,172 | 1,058 | 59 | 54 | 3.79 | 3.58 |
| Pa. | 127 | 756 | 1,457 | 5.93 | 5.38 | 550 | 1,011 | 9 | 21 | 1.28 | 1.64 |
| Ohio | 256 | 1,215 | 1,593 | 4.76 | 4.50 | 860 | 1,061 | 20 | 36 | 1.88 | 2.51 |
| Ind. | 356 | 1,707 | 2,128 | 4.40 | 4.46 | 1,358 | 1,522 | 30 | 40 | 1.95 | 2.09 |
| Ill. | 337 | 1,586 | 1,714 | 4.70 | 4.13 | 973 | 1,247 | 33 | 40 | 2.34 | 2.61 |
| Mich. | 11 | 52 | 115 | 4.57 | 4.51 | 39 | 78 | 1 | 1 | 2.24 | 1.63 |
| Wis. | 198 | 839 | 371 | 4.24 | 4.18 | 541 | 166 | 18 | 5 | 2.37 | 1.37 |
| Minn. | 719 | 3,227 | 3,423 | 4.49 | 4.33 | 1,956 | 2,278 | 98 | 112 | 3.39 | 3.68 |
| Iowa | 73 | 320 | 482 | 4.38 | 4.60 | 230 | 338 | 7 | 9 | 2.26 | 1.99 |
| Mo. | 343 | 1,877 | 2,283 | 5.47 | 5.68 | 1,325 | 1,610 | 30 | 41 | 1.78 | 2.01 |
| Nebr. | 354 | 1,636 | 1,433 | 4.62 | 4.55 | 1,083 | 951 | 46 | 55 | 3.12 | 4.31 |
| Kans. | 64 | 397 | 365 | 7.87 | 6.20 | 106 | 272 | 2 | 8 | --- | 2.25 |
| Del. | 53 | 147 | 126 | 6.93 | 6.93 | --- | 261 | --- | 5 | 1.40 | 1.33 |
| Md. | 313 | 1,268 | 1,268 | --- | --- | --- | 886 | --- | 24 | --- | 2.11 |
| Va. | 106 | 652 | 900 | 6.12 | 5.93 | 478 | 635 | 14 | 22 | 2.38 | 2.72 |
| N.C. | 356 | 2,130 | 1,947 | 5.98 | 5.87 | 1,579 | 1,359 | 28 | 35 | 1.48 | 2.02 |
| S.C. | 41 | 248 | 186 | 6.12 | 6.24 | 175 | 130 | 5 | 4 | 2.37 | 2.54 |
| Ga. | 356 | 2,232 | 2,712 | 6.26 | 6.48 | 1,619 | 1,959 | 55 | 48 | 2.76 | 2.01 |
| Ky. | 22 | 109 | --- | 4.95 | --- | 76 | --- | 4 | --- | 3.67 | --- |
| Tenn. | 142 | 785 | 804 | 5.52 | 5.58 | 536 | 551 | 29 | 11 | 4.17 | 1.56 |
| Ala. | 209 | 569 | 1,069 | 5.87 | 5.12 | 417 | 796 | 14 | 43 | 2.84 | 4.57 |
| Miss. | 24 | 174 | 417 | 7.20 | 4.71 | 127 | 280 | 3 | 9 | 2.13 | 2.52 |
| Ark. | 65 | 460 | 564 | 7.05 | 6.92 | 333 | 393 | 10 | 18 | 2.52 | 3.44 |
| La.-Okla. | 181 | 1,013 | 1,191 | 5.60 | 6.27 | 677 | 839 | 28 | 30 | 3.08 | 2.81 |
| Texas | 203 | 1,132 | 1,145 | 5.58 | 5.30 | 790 | 771 | 27 | 39 | 2.65 | 3.85 |
| Idaho | 12 | 58 | 81 | 4.93 | 4.70 | 41 | 57 | 1 | 1 | 1.15 | 2.22 |
| Utah | 25 | 97 | 154 | 3.91 | 4.08 | 70 | 110 | 2 | 3 | 1.93 | 1.99 |
| Wash. | 53 | 240 | 367 | 4.53 | 4.37 | 156 | 236 | 6 | 10 | 2.60 | 2.97 |
| Oreg. | 59 | 258 | 432 | 4.41 | 4.51 | 181 | 304 | 9 | 11 | 3.98 | 2.96 |
| Calif. | 534 | 2,292 | 3,709 | 4.29 | 4.23 | 1,604 | 2,512 | 50 | 101 | 2.45 | 3.06 |

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.
Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations.
4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States
June 1961

| Region and State | Tuber- : Leu- : Septi-:Airsac-:Inflam-: | | Tumors: | | Para- : Bruises : | | Cadaver : | | Contam-: Over- : Decom- : | | Other : | | Total |
|---------------------|---|--------|---------|-------|-------------------|--------|-----------|-------|---------------------------|--------|---------|-----|---------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | |
| N.Atl. | 44 | 2,912 | 11,653 | 16 | 5,943 | 6,242 | 113 | 448 | 608 | 1,632 | 106 | 84 | 32,419 |
| E.N.Cent. | 2,804 | 5,243 | 7,650 | 233 | 3,763 | 4,443 | 184 | 768 | 865 | 1,256 | 77 | 12 | 30,766 |
| W.N.Cent. | 11,733 | 5,024 | 17,884 | 149 | 5,285 | 3,447 | 719 | 790 | 860 | 2,355 | 216 | 19 | 50,834 |
| S.Atl. | 13 | 2,361 | 8,606 | 192 | 4,456 | 2,109 | 3 | 419 | 814 | 1,427 | 170 | 5 | 28,469 |
| S.Cent. | 74 | 4,749 | 9,508 | 187 | 4,309 | 933 | 168 | 371 | 489 | 2,305 | 133 | --- | 33,066 |
| West. | --- | 933 | 12,253 | 236 | 6,376 | 6,761 | 31 | 573 | 901 | 1,265 | 268 | 24 | 35,145 |
| U.S. | 14,668 | 21,222 | 67,554 | 1,013 | 30,132 | 23,955 | 1,218 | 3,369 | 4,537 | 10,240 | 970 | 144 | 210,699 |
| Maine | --- | 298 | 2,088 | 1 | 1,328 | 423 | --- | 117 | 71 | 322 | 13 | 1 | 4,796 |
| Conn. | --- | 155 | 682 | 1 | 269 | 138 | --- | 26 | 7 | 39 | --- | --- | 1,317 |
| N.Y. | 4 | 96 | 601 | --- | 242 | 218 | 2 | 44 | 112 | 57 | 43 | 48 | 1,467 |
| N.J. | 35 | 1,324 | 4,791 | 4 | 1,999 | 4,145 | 110 | 99 | 195 | 856 | 10 | --- | 16,037 |
| Pa. | 3 | 621 | 2,748 | 8 | 886 | 690 | 1 | 68 | 104 | 187 | 28 | 27 | 5,381 |
| Ohio | 737 | 1,454 | 2,951 | 3 | 1,724 | 1,588 | 118 | 134 | 410 | 297 | 14 | --- | 9,602 |
| Ind. | 338 | 806 | 2,285 | 217 | 703 | 2,063 | 31 | 176 | 166 | 345 | 14 | 3 | 10,076 |
| Ill. | 1,528 | 2,849 | 1,994 | 9 | 1,113 | 574 | 33 | 426 | 249 | 491 | 48 | 3 | 9,631 |
| Mich. | 2 | 20 | 175 | 4 | 18 | 93 | --- | 12 | 23 | 71 | 1 | 6 | 425 |
| Wis. | 199 | 114 | 245 | --- | 205 | 125 | 2 | 20 | 17 | 52 | --- | --- | 1,032 |
| Minn. | 5,470 | 2,466 | 9,278 | 53 | 2,689 | 2,418 | 487 | 363 | 336 | 1,506 | 135 | 16 | 26,313 |
| Iowa | 475 | 329 | 870 | 6 | 321 | 149 | 2 | 82 | 105 | 154 | 1 | --- | 2,494 |
| Mo. | 1,152 | 807 | 2,891 | 41 | 1,069 | 443 | 131 | 175 | 126 | 314 | 29 | 1 | 8,006 |
| Nebr. | 4,426 | 1,270 | 4,318 | 31 | 825 | 314 | 98 | 103 | 157 | 244 | 46 | 2 | 12,243 |
| Kans. | 162 | 152 | 527 | 18 | 379 | 119 | 1 | 63 | 135 | 136 | 5 | --- | 1,718 |
| Del. | --- | 172 | 264 | 13 | 100 | 41 | --- | 1 | 20 | 19 | 2 | --- | 632 |
| Ma. | 12 | 509 | 3,238 | --- | 1,094 | 235 | --- | 227 | 310 | 89 | 77 | --- | 5,890 |
| Va. | --- | 421 | 2,070 | 34 | 1,735 | 319 | --- | 64 | 74 | 156 | 4 | --- | 4,877 |
| N.C. | --- | 1,031 | 1,137 | 9 | 761 | 243 | 1 | 53 | 228 | 510 | 78 | --- | 7,160 |
| S.C. | --- | 3 | 19 | --- | 16 | 6 | --- | 9 | 10 | 43 | 2 | 2 | 723 |
| Ga. | --- | 223 | 1,852 | 136 | 733 | 1,249 | 1 | 63 | 167 | 605 | 7 | 3 | 8,833 |
| Tenn. | 1 | 282 | 1,459 | 53 | 297 | 77 | 10 | 37 | 55 | 245 | 52 | --- | 2,595 |
| Ala. | --- | 69 | 283 | 13 | 93 | 33 | --- | 53 | 130 | 275 | 1 | --- | 9,484 |
| Miss. | --- | 41 | 432 | --- | 150 | 221 | 1 | 71 | 7 | 226 | 18 | --- | 2,154 |
| Ark. | --- | 161 | 1,377 | 77 | 260 | 109 | --- | 39 | 50 | 183 | 2 | --- | 2,536 |
| La.-Okla.1/ | 66 | 1,012 | 2,864 | 11 | 640 | 256 | 147 | 53 | 117 | 407 | 43 | --- | 5,637 |
| Texas | --- | 3,135 | 2,954 | 33 | 2,822 | 221 | 10 | 116 | 126 | 957 | 17 | --- | 10,391 |
| Idaho | --- | 51 | 219 | 14 | 40 | 16 | --- | 6 | 17 | 31 | --- | --- | 398 |
| Utah | --- | 47 | 299 | 3 | 255 | 71 | --- | 18 | 23 | 4 | --- | 1 | 741 |
| Wash. | --- | 72 | 1,274 | --- | 388 | 226 | --- | 22 | 26 | 103 | 5 | --- | 2,893 |
| Oreg. | --- | 57 | 349 | 1 | 1,054 | 281 | 1 | 28 | 61 | 415 | 4 | --- | 3,047 |
| Calif. | --- | 706 | 10,111 | 218 | 4,632 | 6,187 | 30 | 497 | 767 | 712 | 239 | 23 | 28,049 |

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

| Region and State | Number inspected | | Pounds inspected (live weight) | | Average live weight inspected 1/ (Ready-to-cook wt.) | | Total pounds certified | | Post-mortem condemnations | | | | |
|------------------------|---------------------|-------|--------------------------------------|-----------------|---|--------|---------------------------|-----------------|---------------------------|-----------------|---------|---------|-----|
| | | | | | | | | | Pounds (NYD) | | Percent | | |
| | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | |
| | Thou. | Thou. | 1,000 pounds | 1,000 pounds | Pounds | Pounds | 1,000 pounds | 1,000 pounds | 1,000 pounds | 1,000 pounds | Percent | Percent | |
| N.Atl. | 96 | 110 | 883 | 1,128 | 9.20 | 10.25 | 689 | 843 | 9 | 6 | 1.14 | 0.59 | |
| E.N.Cent. | 242 | 310 | 3,672 | 4,757 | 15.17 | 15.35 | 2,924 | 3,799 | 18 | 37 | .55 | .87 | |
| W.N.Cent. | 483 | 1,011 | 7,052 | 15,025 | 14.60 | 14.86 | 5,654 | 12,208 | 44 | 120 | .69 | .89 | |
| S.Atl. | 125 | 303 | 2,188 | 4,984 | 17.50 | 16.45 | 1,758 | 3,935 | 17 | 44 | .86 | .98 | |
| S.Cent. | 124 | 346 | 1,951 | 5,826 | 15.73 | 16.84 | 1,532 | 4,639 | 46 | 47 | 2.62 | .90 | |
| West. | 640 | 1,321 | 10,823 | 23,932 | 16.91 | 18.12 | 8,894 | 19,236 | 112 | 338 | 1.15 | 1.57 | |
| U.S. | 1,710 | 3,401 | 26,569 | 55,652 | 15.54 | 16.36 | 21,451 | 44,660 | 246 | 592 | 1.03 | 1.18 | |
| Pa. | 91 | 99 | 805 | 959 | 8.87 | 9.68 | 629 | 726 | 8 | 5 | 1.11 | .68 | |
| Ohio | 68 | 80 | 1,028 | 1,229 | 15.16 | 15.32 | 823 | 971 | 6 | 6 | .62 | .56 | |
| Ind. | 73 | 77 | 1,197 | 1,288 | 16.30 | 16.63 | 969 | 1,053 | 6 | 8 | .56 | .65 | |
| Ill.-Mich. 3/ 4/ | 25 | --- | 436 | --- | 17.44 | --- | 340 | --- | 1 | --- | .26 | --- | |
| Wis. | 75 | 145 | 1,011 | 2,106 | 13.40 | 14.54 | 792 | 1,667 | 5 | 22 | .52 | 1.13 | |
| Minn. | 258 | 620 | 3,836 | 9,200 | 14.34 | 14.85 | 3,069 | 7,546 | 26 | 76 | .76 | .92 | |
| Iowa | 177 | 290 | 2,439 | 4,147 | 13.76 | 14.31 | 1,957 | 3,340 | 9 | 26 | .43 | .71 | |
| Mo. | 13 | 36 | 227 | 633 | 17.46 | 17.98 | 182 | 496 | 2 | 6 | .98 | 1.06 | |
| Nebr. 3/ | 14 | --- | 225 | --- | 16.48 | --- | 184 | --- | 3 | --- | 1.35 | --- | |
| Kans. 3/ | --- | 30 | --- | 446 | --- | 14.87 | --- | 351 | --- | 8 | --- | 1.99 | --- |
| Va. | 24 | 99 | 379 | 1,544 | 15.53 | 15.62 | 288 | 1,152 | 6 | 17 | 1.74 | 1.23 | |
| N.C. | 60 | 118 | 1,172 | 2,220 | 19.44 | 18.83 | 965 | 1,803 | 6 | 19 | .53 | .94 | |
| S.C. | 21 | 37 | 413 | 700 | 19.52 | 18.69 | 329 | 570 | 3 | 5 | .78 | .81 | |
| Ark. 3/ | 37 | --- | 480 | --- | 12.89 | --- | 385 | --- | 8 | --- | 1.91 | --- | |
| Texas | 70 | 123 | 1,170 | 2,178 | 16.76 | 17.68 | 915 | 1,758 | 35 | 17 | 3.32 | .89 | |
| Colo. 3/ | --- | 118 | --- | 2,066 | --- | 17.56 | --- | 1,686 | --- | 11 | --- | .56 | .56 |
| Utah | 95 | 204 | 1,556 | 3,277 | 16.39 | 16.07 | 1,258 | 2,639 | 15 | 42 | 1.04 | 1.44 | |
| Oreg. | 17 | 43 | 243 | 701 | 14.53 | 16.19 | 194 | 571 | 3 | 9 | 1.27 | 1.30 | |
| Calif. | 491 | 953 | 8,484 | 17,829 | 17.29 | 18.71 | 7,007 | 14,301 | 92 | 274 | 1.20 | 1.71 | |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States
June 1961

| Region and State | Tuber- culosis | Leu- cosis | Septi- cemia | Airac- culitis | Inflam- matory | Tumors | Para- sites | Bruises | Cadaver | Contam- ination | Over- scald | Decom- position | Other | Total |
|------------------------|-------------------|---------------|-----------------|-------------------|-------------------|--------|----------------|---------|---------|--------------------|----------------|--------------------|-------|--------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | 4 | 389 | 18 | 34 | 1 | --- | 13 | 9 | 41 | --- | 6 | --- | 515 |
| E. N. Cent. | 6 | 25 | 813 | 629 | 252 | 1 | --- | 31 | 81 | 104 | 6 | 3 | 351 | 2,302 |
| W. N. Cent. | 19 | 61 | 3,819 | 1,653 | 481 | 26 | --- | 129 | 272 | 472 | 356 | 8 | 1,161 | 8,457 |
| S. Atl. | --- | 7 | 1,350 | 187 | 534 | 16 | --- | 23 | 102 | 120 | 68 | --- | 182 | 2,589 |
| S. Cent. | --- | 44 | 1,389 | 624 | 175 | 9 | 5 | 27 | 105 | 128 | 4 | 2 | 202 | 2,714 |
| West. | --- | 56 | 7,408 | 2,984 | 3,896 | 88 | 1 | 385 | 262 | 406 | 178 | 8 | 1,506 | 17,178 |
| U. S. | 25 | 197 | 15,168 | 6,095 | 5,372 | 141 | 6 | 608 | 831 | 1,271 | 612 | 27 | 3,402 | 33,755 |
| Pa. | --- | 3 | 345 | 18 | 30 | 1 | --- | 9 | 8 | 32 | --- | 6 | --- | 452 |
| Ohio | 6 | 15 | 192 | 16 | 58 | --- | --- | 2 | 17 | 4 | --- | 3 | 3 | 316 |
| Ind. | --- | --- | 192 | 99 | 10 | --- | --- | 3 | 12 | 15 | 1 | --- | 37 | 369 |
| Wis. | --- | 10 | 381 | 502 | 183 | 1 | --- | 24 | 50 | 75 | 5 | --- | 311 | 1,542 |
| Minn. | 16 | 32 | 2,550 | 911 | 312 | 23 | --- | 77 | 172 | 367 | 354 | 1 | 992 | 5,807 |
| Iowa | --- | --- | 838 | 664 | 42 | 2 | --- | 24 | 49 | 56 | 2 | 7 | 108 | 1,792 |
| Mo. | --- | 4 | 172 | 38 | 63 | --- | --- | 8 | 23 | 11 | --- | --- | 1 | 320 |
| Kans. | 3 | 4 | 177 | 18 | 42 | --- | --- | 5 | 28 | 26 | --- | --- | 3 | 306 |
| Va. | --- | 2 | 538 | 160 | 240 | --- | --- | 11 | 70 | 39 | 62 | --- | --- | 1,122 |
| N.C. | --- | 1 | 558 | --- | 176 | 7 | --- | 11 | 5 | 56 | 5 | --- | 167 | 986 |
| S.C. | --- | --- | 198 | 10 | 66 | 1 | --- | --- | 16 | 3 | --- | --- | 6 | 300 |
| Texas | --- | 26 | 537 | 155 | 91 | 2 | 4 | 18 | 43 | 57 | 1 | 2 | --- | 936 |
| Colo. | --- | 1 | 220 | 35 | 69 | 1 | --- | 12 | 24 | 20 | 61 | --- | --- | 443 |
| Utah | --- | --- | 956 | 682 | 596 | --- | --- | 102 | 34 | 24 | 52 | 7 | --- | 2,453 |
| Oreg. | --- | --- | 185 | 2 | 111 | --- | --- | 18 | 17 | 13 | 1 | 1 | 1 | 349 |
| Calif. | --- | 55 | 5,985 | 2,263 | 3,102 | 86 | 1 | 253 | 187 | 346 | 64 | --- | 1,504 | 13,846 |

Fryer-roaster turkeys: Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

| Region and State | Number inspected | | Pounds inspected | | Average live weight inspected 1/ | | Total pounds certified (Ready-to-cook wt.) | | Post-mortem condemnations | |
|------------------|------------------|---------|------------------|-----------------|----------------------------------|-------------|--|-----------------|---------------------------|------------------|
| | Inspected | | (live weight) | | inspected 1/ | | (Ready-to-cook wt.) | | Pounds (MYD) | |
| | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 |
| N.Atl. | Thou. 5 | Thou. 2 | 1,000 pounds 40 | 1,000 pounds 18 | Pounds 8.00 | Pounds 9.00 | 1,000 pounds 30 | 1,000 pounds 14 | 1,000 pounds --- | 1,000 pounds --- |
| E.N.Cent. | 168 | 335 | 1,505 | 3,248 | 8.96 | 9.70 | 1,173 | 2,564 | 8 | 23 |
| W.N.Cent. | 494 | 453 | 4,228 | 3,949 | 8.56 | 8.72 | 3,296 | 3,144 | 27 | 53 |
| S.Atl. | 309 | 251 | 2,692 | 2,100 | 8.71 | 8.37 | 1,999 | 1,556 | 32 | 35 |
| S.Cent. | 34 | 48 | 267 | 373 | 7.85 | 7.77 | 204 | 288 | 3 | 1 |
| West. | 64 | 151 | 437 | 1,187 | 6.83 | 7.86 | 367 | 913 | 5 | 10 |
| U.S. | 1,074 | 1,240 | 9,169 | 10,875 | 8.54 | 8.77 | 7,069 | 8,479 | 75 | 122 |
| Ohio | 45 | 37 | 374 | 315 | 8.38 | 8.59 | 291 | 242 | 2 | 2 |
| Wis. | 123 | 298 | 1,131 | 2,933 | 9.18 | 9.84 | 882 | 2,322 | 6 | 21 |
| Minn. | 369 | 389 | 3,177 | 3,393 | 8.62 | 8.72 | 2,492 | 2,707 | 21 | 51 |
| Iowa 3/ | 75 | --- | 640 | --- | 8.53 | --- | 489 | --- | 2 | --- |
| Va. | 301 | 239 | 2,630 | 2,001 | 8.73 | 8.36 | 1,951 | 1,476 | 31 | 35 |
| Ark. | 22 | 34 | 155 | 260 | 7.20 | 7.61 | 119 | 198 | 2 | 1 |
| Calif. | 51 | 118 | 347 | 904 | 6.77 | 7.65 | 298 | 691 | 3 | 10 |

Fryer-roaster turkeys: Number condemned post mortem by cause, by regions and selected States, June 1961

| Region and State | Tuber- culosis | | Leu- cosis | | Septi- cemia | | Airsac- culitis | | Infila- matory | | Tumors | | Para- sites | | Bruises | | Cadaver | | Contam- ination | | Over- scald | | Decom- position | | Other | | Total |
|------------------------|-------------------|-----|---------------|-------|-----------------|-----|--------------------|-----|-------------------|-----|--------|-----|----------------|-----|---------|-----|---------|-----|--------------------|-----|----------------|--------|--------------------|-----|-------|--------|-------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | |
| N.Atl. | --- | --- | --- | 5 | 3 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 1 | --- | --- | --- | 1 | --- | --- | --- | --- | --- | --- | --- | 10 |
| E.N.Cent. | 2 | 7 | 680 | 614 | 614 | 378 | --- | --- | --- | --- | 7 | --- | --- | --- | 44 | 128 | 111 | --- | --- | --- | 7 | --- | --- | --- | --- | 518 | 2,496 |
| W.N.Cent. | 16 | 26 | 5,733 | 658 | 658 | 190 | --- | --- | --- | --- | 3 | --- | --- | --- | 92 | 178 | 592 | 102 | --- | --- | --- | --- | --- | --- | --- | 51 | 7,644 |
| S.Atl. | --- | 10 | 1,501 | 2,228 | 2,228 | 280 | --- | --- | --- | --- | --- | --- | --- | --- | 66 | 98 | 83 | 3 | --- | --- | --- | --- | --- | --- | --- | --- | 4,269 |
| S.Cent. | --- | 4 | 135 | 71 | 71 | 5 | --- | --- | --- | --- | --- | --- | --- | --- | 1 | 11 | 19 | --- | --- | --- | --- | --- | --- | --- | --- | 24 | 270 |
| West. | --- | 8 | 324 | 32 | 32 | 94 | --- | --- | --- | --- | 5 | --- | --- | --- | 46 | 140 | 156 | 11 | --- | --- | --- | --- | --- | --- | --- | 184 | 1,001 |
| U.S. | 18 | 55 | 8,378 | 3,606 | 3,606 | 947 | --- | --- | --- | --- | 15 | 1 | 1 | 1 | 250 | 555 | 962 | 123 | 3 | 3 | 777 | 15,690 | --- | --- | --- | 15,690 | |
| Ohio | 2 | 5 | 133 | 8 | 8 | 24 | --- | --- | --- | --- | --- | --- | --- | --- | 2 | 20 | 24 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 218 |
| Wis. | --- | 2 | 547 | 606 | 606 | 354 | --- | --- | --- | --- | 7 | --- | --- | --- | 42 | 108 | 87 | 7 | --- | --- | --- | --- | --- | --- | --- | --- | 2,278 |
| Minn. | 16 | 26 | 5,679 | 611 | 611 | 100 | --- | --- | --- | --- | 3 | --- | --- | --- | 73 | 168 | 569 | 101 | 3 | 3 | --- | --- | --- | --- | --- | 30 | 7,379 |
| Va. | --- | 9 | 1,487 | 2,228 | 2,228 | 260 | --- | --- | --- | --- | --- | --- | --- | --- | 62 | 98 | 83 | 3 | --- | --- | --- | --- | --- | --- | --- | --- | 4,230 |
| Ark. | --- | 2 | 105 | 70 | 70 | 4 | --- | --- | --- | --- | --- | --- | --- | --- | 1 | 8 | 8 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 222 |
| Calif. | --- | 7 | 293 | 32 | 32 | 85 | --- | --- | --- | --- | 3 | --- | --- | --- | 42 | 71 | 135 | --- | --- | --- | --- | --- | --- | --- | --- | --- | 839 |

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

3/ Data for only 1 year published in order to avoid disclosure of individual operations. Percentages based on unrounded data.

Old turkeys (breeders): Slaughtered under Federal inspection, by regions and selected States, June 1960 and 1961

| Region and State | Number inspected | Pounds inspected | | Average live weight | | Total pounds certified | | Post-mortem condemnations | | | |
|------------------|------------------|------------------|--------|---------------------|--------|------------------------|--------|---------------------------|--------|---------|---------|
| | | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 | 1960 | 1961 |
| | | Thou. | Thou. | Pounds | Pounds | Pounds | Pounds | pounds | pounds | Percent | Percent |
| N. Atl. | 9 | 17 | 322 | 15.78 | 18.94 | 1,000 | 1,000 | 1,000 | 1,000 | 0.78 | 0.35 |
| E. N. Cent. | 83 | 130 | 2,464 | 18.94 | 18.95 | 1,248 | 1,967 | 17 | 34 | 1.20 | 1.54 |
| W. N. Cent. | 311 | 319 | 5,871 | 18.88 | 18.60 | 4,671 | 4,679 | 80 | 85 | 1.52 | 1.60 |
| S. Atl. | 69 | 54 | 1,006 | 18.04 | 18.63 | 1,018 | 782 | 14 | 12 | 1.25 | 1.33 |
| S. Cent. | 155 | 144 | 2,782 | 17.95 | 18.64 | 2,219 | 2,121 | 31 | 40 | 1.24 | 1.66 |
| West. | 506 | 616 | 10,246 | 20.25 | 20.08 | 8,210 | 9,874 | 123 | 209 | 1.33 | 1.88 |
| U. S. | 1,133 | 1,280 | 21,858 | 19.29 | 19.36 | 17,479 | 19,681 | 266 | 381 | 1.35 | 1.71 |
| Ohio | 35 | 57 | 639 | 18.45 | 18.63 | 506 | 853 | 8 | 10 | 1.34 | 1.11 |
| Wis. | 27 | 30 | 508 | 18.91 | 18.14 | 398 | 429 | 6 | 13 | 1.38 | 2.63 |
| Minn. | 128 | 103 | 2,386 | 18.63 | 18.83 | 1,926 | 1,544 | 33 | 30 | 1.56 | 1.75 |
| Iowa | 51 | 48 | 994 | 19.63 | 18.47 | 762 | 705 | 7 | 11 | .84 | 1.33 |
| Va. | 20 | 33 | 373 | 18.77 | 17.72 | 298 | 441 | 4 | 9 | 1.20 | 1.81 |
| Texas | 111 | 108 | 1,975 | 17.85 | 19.06 | 1,593 | 1,627 | 20 | 31 | 1.11 | 1.67 |
| Calif. | 355 | 448 | 7,143 | 20.12 | 20.39 | 5,719 | 7,275 | 89 | 170 | 1.39 | 2.07 |

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1961

| Region and State | Tuber- culosis | Leu- cosis | Septi- cemia | Airsac- culitis | Inflam- matory | Tumors | Para- sites | Bruises | Cadaver | Contam- ination | Over- scald | Decom- position | | Other | Total |
|------------------|-------------------|---------------|-----------------|--------------------|-------------------|--------|----------------|---------|---------|--------------------|----------------|--------------------|-------|--------|--------|
| | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. | No. |
| N. Atl. | --- | 1 | 30 | --- | 6 | 1 | --- | 5 | 8 | 2 | 2 | --- | --- | --- | 55 |
| E. N. Cent. | 2 | 14 | 348 | 431 | 380 | 18 | 4 | 31 | 18 | 61 | 3 | 8 | 107 | 1,425 | 1,425 |
| W. N. Cent. | --- | 66 | 1,738 | 341 | 743 | 101 | --- | 58 | 192 | 158 | 11 | 15 | 96 | 3,519 | 3,519 |
| S. Atl. | --- | 8 | 280 | 24 | 245 | 3 | --- | 5 | 39 | 30 | 6 | --- | 22 | 662 | 662 |
| S. Cent. | --- | 319 | 1,170 | 99 | 378 | 13 | --- | 13 | 30 | 88 | --- | --- | 6 | 2,116 | 2,116 |
| West. | --- | 23 | 4,790 | 699 | 2,107 | 126 | 4 | 254 | 162 | 227 | 1 | 48 | 1,043 | 9,484 | 9,484 |
| U. S. | 2 | 431 | 8,356 | 1,594 | 3,859 | 262 | 8 | 366 | 449 | 566 | 23 | 71 | 1,274 | 17,261 | 17,261 |
| Ohio | --- | 6 | 157 | 37 | 160 | 13 | --- | 4 | 1 | 11 | 1 | --- | --- | --- | 392 |
| Wis. | --- | 6 | 70 | 320 | 156 | 1 | --- | 9 | 11 | 14 | 1 | --- | --- | 82 | 670 |
| Minn. | --- | 41 | 667 | 205 | 296 | 17 | --- | 23 | 21 | 89 | 6 | 5 | 17 | 1,387 | 1,387 |
| Iowa | --- | --- | 233 | 76 | 26 | 1 | --- | 11 | 36 | 22 | 5 | 5 | 10 | 425 | 425 |
| Va. | --- | 6 | 200 | 22 | 145 | 1 | --- | 2 | 38 | 21 | 4 | --- | --- | --- | 439 |
| Texas | --- | 314 | 958 | 27 | 239 | 6 | --- | 9 | 28 | 76 | --- | --- | --- | 1 | 1,658 |
| Calif. | --- | 22 | 4,020 | 290 | 1,700 | 119 | 4 | 211 | 99 | 132 | 1 | 15 | 1,034 | 7,647 | 7,647 |

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.
Percentages based on unrounded data.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON 25, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Ralston Purina Company
Attn: James M. Gwin
835 South Eighth St.
535A St. Louis 2, Missouri



Definitions -

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.